

Nice



MyBell

Nice Intercom range

Nice Intercom range

A solution for 2-Wire and IP solutions, with Indoor Monitor and Outdoor Station for both new and old retrofit applications such as villas, apartments, or other...

Product range



Kit

Two different Kit combinations, one for 2-Wire and one for IP including and Indoor Monitor and a 1-button Outdoor Station



Stand-alone

All Kits' products are offered also in stand-alone way plus other separate products such as the numeric Keypad



Accessories

Power supply, installation box, wall bracket and rain cover to complete the range



Smart Home Integration

All products are Yubii compatible; this means that the system is Smart & Connected, manageable also through Yubii App

Scenarios

Nice

Use Case #1

You can see who's calling and answer or dismiss on your Indoor Monitor

If you would like to check what is happening in front of your home, you can establish video connection to outdoor unit without audio calling



Nice

Use Case #2

You have a Nice cameras system and curious what is happening now inside/outside your house?

Now you can watch it in real time directly on connected Indoor Monitor

(no additional HUBs needed)



Nice

Use Case #3

Nobody's home? Courier is ringing?


No problem, now with Nice Intercom and Yubii Home App you can see who's calling and answer on your mobile wherever you are.

You can also open your gates when they are wired to outdoor unit

(no additional HUBs needed)



Yubii Home



Nice

Use Case #4


You have a Yubii Smart Home system.

Now you can connect and control it directly from your Indoor Monitor

(HUB needed, limited to IP Premium Indoor Monitor)



Yubii® Home



2-Wire

Traditional connection, ideal for simple and reliable installations, utilizing existing wiring infrastructure.

Product Detail

2-Wire 1-button Outdoor Station


- Body material: Plastic
- Real-time two-way talk
- Live 2M pixels camera viewing
- RF card reader: 13.56MHz
- Relays Output: 1
- Micro SD card slot: 1
- Power : 12V / 1A
- Waterproof & Dust proof: IP 65
- Size 146x70x23 mm
- Vandal alarm: Yes
- Echo Cancellation
- Comfort Noise Generator
- Auto night mode with LED illumination
- White LEDs for picture lighting during dark hours
- Video resolution: up to 1920x1080
- Max. image transfer rate: 1080p-25fps
- Working Humidity: 10~90%
- Working Temperature: -40°C ~ +60°C
- Storage Temperature: -40°C ~ +70°C
- Application: apartment/flat intercom with door access control
- Application: remote site entry over Internet



Product Detail

2-Wire Indoor Monitor

- Linux operating system
- Screen: 7 Inch capacitive touch screen with energy saving mode
- Touch Screen: projected capacitive
- Wi-Fi supported
- Front panel: Plastic
- RAM / ROM: 64MB / 128MB
- Ultra-clear, stylish appearance
- Thin profile and small footprint
- Two-way audio communication with other units in the 2-wire IP network;
- Powered by NS-2 or external source
- Relays Output: 1
- Microphone: -58dB
- Resolution: 800x480
- Echo Cancellation
- Dimension: 200.2x132.2x27.2mm
- Working Humidity: 10~90%
- Working Temperature: -10°C ~ +45°C
- Storage Temperature: -20°C ~ +70°C
- Application: old villas retrofit
- Application: old apartment retrofit



Nice

IP

The most flexible solution, requiring no complex wiring. PoE simplifies installation, and reduces power usage.

Product Detail

IP Premium Indoor Monitor


- Android 12 operating system
- Wi-Fi 6
- RAM / ROM: 4GB / 16GB
- Two-way audio communication with other units in the network
- Powered by PoE or external source
- Automatically adjust the screen brightness according to the ambient brightness to protect eyes and save energy
- Built-in smart voice assistant
- Front panel: Plastic
- Relays Out: 1
- Resolution: 1280x800
- Screen: 10.1 inch capacity touch screen
- Microphone: Dual microphones,-26dB
- Tamper Resistant: Support
- Dimension: 278.5x165.1x22.8 mm
- Working Humidity: 10~90%
- Working Temperature: -10°C ~ +45°C
- Storage Temperature: -20°C ~ +70°C
- Echo Cancellation
- Comfort Noise Generator
- Voice pickup distance up to 5 meters
- Voice recognition accuracy up to 95%
- Privacy protection with native voice data
- Application: villas, apartment complexes, Home automation systems, modern interiors application



Product Detail

IP Basic Indoor Monitor


- Linux operating system
- Screen: 7 Inch capacitive touch screen with energy saving mode
- Touch Screen: projected capacitive
- PoE (IEEE802.3at, Power over Ethernet)
- Front panel: Plastic
- RAM / ROM: 64MB / 128MB
- Ultra-clear, stylish appearance
- Thin profile and small footprint
- Two-way audio communication with other units in the 2-wire IP network
- Relays Output: 1
- Microphone: -58dB
- Resolution: 800x480
- Echo Cancellation
- Dimension: 200.2x132.2x27.2mm
- Working Humidity: 10~90%
- Working Temperature: -10°C ~ +45°C
- Storage Temperature: -20°C ~ +70°C
- Application: old villas retrofit
- Application: old apartment retrofit



Product Detail

IP 1-button Outdoor Station


- Vandal resistant body, with a flush button
- Wide angle camera: 110° (H), 58° (V)
- Two-way audio communication over IP networks with Echo Cancellation feature;
- Front panel : Aluminum alloy
- Camera: 2M pixels , automatic lighting
- Button : 1 call button
- Relays output: 2
- Waterproof & Dust proof: IP 65
- RF card reader: 13.56MHz (with 125 kHz)
- Voice Activation Detection
- Comfort Noise Generator
- Video resolution: up to 1920x1080
- Max. image transfer rate: 1080p-30fps
- High intensity IR LEDs for picture lighting during dark hours with internal light sensor
- Auto night mode with LED illumination
- Working Humidity: 10~90%
- Working Temperature: -30°C ~ + 60°C
- Storage Temperature: -40°C ~ +70°C
- Application: remote site entry over Internet
- Application: apartment/flat intercom with door access control



Product Detail

IP Keypad Outdoor Station

- Display 2.8 Inch
- Wide angle camera: 130° (H), 90° (V)
- PoE (IEEE802.3at, Power over Ethernet)
- Two-way audio communication over IP networks with Echo Cancellation feature
- Front panel : Aluminum
- Camera: 2M pixels , automatic lighting
- Numeric keypad with extra buttons
- RF card reader: 13.56MHz & 125kHz
- Relays output: 2
- Waterproof & Dust proof: IP 66
- Comfort Noise Generator
- Video resolution: up to 1920x 1080p
- Max. image transfer rate: 1080p 30fps
- Working Humidity: 10~90%
- Working Temperature: -40°C ~ +60°C
- Storage Temperature: -40°C ~ +70°C
- High intensity IR LEDs for picture lighting during dark hours with internal light sensor
- Auto night mode with LED illumination
- Apartment/flat intercom with door access control




Nice

KIT

INTERCOM RANGE OVERVIEW

KIT 2-WIRE



24V DC
Power Supply

MyBell 2-Wire
1-button Station

MyBell 2-Wire
Indoor Monitor

KIT IP



MyBell IP
1-button Station

MyBell IP
Premium Indoor Monitor

Yubii® Home



Functionality	MyBell 2-Wire 1-button Kit	MyBell IP 1-button Kit	Somfy V350	Somfy V500 Connect	HikVision 2-wire	HikVision IP
Monitor Resolution	800 x 480	1280x800	800 x 480	800 x 480	1024 x 600	1024 x 600
Camera Resolution	1920x1080 Full HD	1920x1080 Full HD	Low resolution	Low resolution	1920x1080 Full HD	1920x1080 Full HD
Monitor	7" Touch Screen	10.1 inch capacity touch screen	7" Touch/Buttons	7" Touch/Buttons	7" Touch Screen	7"/10" Touch Screen
Power Supply	2-wire	DC 12V / PoE	2-wire	2-wire	2-wire	DC 12V / PoE
WiFi	Yes	Yes	Yes	Yes	Yes	Yes
Water proof	IP 65	IP 65	IP 54	IP 54	IP 66	IP 66
App store	No	Yes - Android	No	No	Yes – Hik-Connect	Yes – Hik-Connect
Remote Calls	Yes	Yes	No	Yes	Yes	Yes
Built-in relays	Yes - 1	Yes – 2	Yes - 2	Yes - 2	Yes – 2	Yes – 2
Net selling price (Kit)	209 EUR	469 EUR	250 EUR	310 EUR	200 EUR	450 EUR

Item Master Data

Nice

2-Wire Kit with Indoor Monitor & Outdoor Station

Item ID MB2-WKIT

Description MyBell 2-Wire 1-button Kit

Commercial Code MB2-WKIT

Pcs/pack Indoor monitor + outdoor station
+ power supply



Business Sector AC – Access Control

Business Line INCO - Intercom

Brand NICE - Nice

Product Line AIN - Intercom

Family F4007 – 2-WIRE

Sub-Family F200001 - CONNECTED


2-Wire Indoor Monitor stand-alone

Item ID MB2-WMONIT

Description MyBell 2-Wire Indoor Monitor

Commercial Code MB2-WMONIT

Pcs/pack 1



Business Sector AC – Access Control

Business Line INCO - Intercom

Brand NICE - Nice

Product Line AIN - Intercom

Family F4007 – 2-WIRE

Sub-Family F200001 - CONNECTED

Nice

2-Wire 1-button Outdoor Station stand-alone

Item ID MB2-W1BSTAT

Description MyBell 2-Wire 1-button Station

Commercial Code MB2-W1BSTAT

Pcs/pack 1



Business Sector AC – Access Control

Business Line INCO - Intercom

Brand NICE - Nice

Product Line AIN - Intercom

Family F4007 – 2-WIRE

Sub-Family F200001 - CONNECTED

IP Kit with Premium Indoor Monitor & Outdoor Station

Item ID	MBIPPREKIT
Description	MyBell IP 1-button Kit
Commercial Code	MBIPPREKIT
Pcs/pack	Indoor monitor + outdoor station

Business Sector	AC – Access Control
Business Line	INCO - Intercom
Brand	NICE - Nice
Product Line	AIN - Intercom
Family	F4008 – IP
Sub-Family	F200001 - CONNECTED



IP Premium Indoor Monitor stand-alone

Item ID MBIPPREMONIT

Description MyBell IP Premium Indoor Monitor

Commercial Code MBIPPREMONIT

Pcs/pack 1

Business Sector AC – Access Control

Business Line INCO - Intercom

Brand NICE - Nice

Product Line AIN - Intercom

Family F4008 – IP

Sub-Family F200001 - CONNECTED




IP Basic Indoor Monitor stand-alone

Item ID MBIPMONIT

Description MyBell IP Indoor Monitor

Commercial Code MBIPMONIT

Pcs/pack 1



Business Sector AC – Access Control

Business Line INCO - Intercom

Brand NICE - Nice

Product Line AIN - Intercom

Family F4008 – IP

Sub-Family F200001 - CONNECTED

IP 1-button Outdoor Station stand-alone

Item ID	MBIP1BSTAT
----------------	------------

Description	MyBell IP 1-button Station
--------------------	----------------------------

Commercial Code	MBIP1BSTAT
------------------------	------------

Pcs/pack	1
-----------------	---



Business Sector	AC – Access Control
------------------------	---------------------

Business Line	INCO - Intercom
----------------------	-----------------

Brand	NICE - Nice
--------------	-------------

Product Line	AIN - Intercom
---------------------	----------------

Family	F4008 – IP
---------------	------------

Sub-Family	F200001 - CONNECTED
-------------------	---------------------

IP Keypad Outdoor Station stand-alone

Item ID MBIPKEYSTAT

Description MyBell IP Keypad Station

Commercial Code MBIPKEYSTAT

Pcs/pack 1



Business Sector AC – Access Control

Business Line INCO - Intercom

Brand NICE - Nice

Product Line AIN - Intercom



Family F4008 – IP

Sub-Family F200001 - CONNECTED

Yubii Home app integration

Seamless first configuration

In a few simple steps end-user is able to configure the intercoms by just scanning the QR Code from the Monitor (KIT solution) or from the outdoor station packaging.





Nice

Camera preview and quick actions

The user can check what is happening in front of his house.




It is possible to open a gate or door without an active connection or take a screenshot of any person in front of the camera.



Nice

Incoming call notifications anytime

It doesn't matter whether the Yubii Home app is currently active or not, the notification of an incoming call is always available no matter where you are at the moment.





Nice

**Thank You.
It's Nice**

www.niceforyou.com